




Fiesta Granular Weed & Feed



Rutgers 2021 – White Clover

Percent control of white clover (*Trifolium repens*) following herbicide applications
 Applications A, B were applied on June 15 and July 7, 2021, respectively.




- Non-treated
- Fiesta Granular 3 lb./1000 ft² A, B
- Fiesta Granular 5 lb./1000 ft² A, B
- Fiesta Liquid (4%) 12.6 fl. oz./1000 ft² A, B
- Fiesta Liquid (4%) 22.7 fl. oz./1000 ft² A, B
- WeedShield (10% v/v) 2.5 gal/1000 ft² A, B
- WeedOut Ultra 0.5 gal/1000 ft² A, B
- Scotts Weed & Feed 2.86 lb./1000 ft² A




Rutgers 2021 – White Clover

White clover (*Trifolium repens*) control following herbicide applications made on June 15 and July 7, 2021



Fiesta Pre-Emerge Data - 2021

Percent control of smooth crabgrass (*Digitaria ischaemum*) following herbicide applications
 Applications A, B, C, and D were applied on April 20, May 21, June 15, and July 7, 2021, respectively.



Fiesta Pre-Emerge Data - 2021

Percent control of smooth crabgrass (*Digitaria ischaemum*) following herbicide applications
 Applications A, B, C, and D were applied on April 20, May 21, June 15 and July 7, 2021, respectively.

